


SOUTHERN METHODIST UNIV DALLAS TEX DEPT OF STATISTICS
THE JACKKNIFE: A BIBLIOGRAPHY. (U)
JUL 79 W C PARR, W R SCHUCANY
N00014-AD-A072 935 F/G 12/1 N00014-75-C-0439 TR-132 UNCLASSIFIED NL AD AD AD72935 謎 END DATE FILMED 9 79







Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

DIVISION OF MATHEMATICAL SCIENCES
Department of Statistics
Southern Methodist University
Dallas, Texas 75275

404198

13

The Jackknife: A Bibliography

William C. Parr
Institute of Statistics
Texas A&M University
College Station, Texas 77843, USA

William R. Schucany
Department of Statistics
Southern Methodist University
Dallas, Texas 75275, USA

The "jackknife" is the name given by J. W. Tukey (1958) to the method for estimation of the variance of a statistic via sample reuse, which is based upon the technique for reduction of bias of parametric estimators as suggested by Quenowille (1949). Since the work of the above two authors, there has been an explosion of information in the literature on the theory and specific applications of the jackknife, including a major review paper by Miller (1974) and a book-length treatment by Gray and Schucany (1972).

The purpose of this bibliography is the creation of a list of the available material relating to the jackknife. Material not currently published in the literature has been listed when judged of sufficient importance that its omission would be an error. In fact, 22 references (16% of the total bibliography) are to either unpublished manuscripts or doctoral dissertations. Several of the others ([12], [13], [51], [52], [54], [91], [92], and [94]) are surveys or reviews of the jackknife method.

A large number of the papers have the asymptotic theory of the jackknife as their major concern ([1], [2], [7], [10], [15], [44], [46], [59], [74], [87], [89], [107], [119], [120], [126], [127], and [131]). Applications to and theory for finite population problems, a major area of application for the jackknife for both bias reduction and variance estimation, are of primary interest in [16], [17], [20], [21], [23], [64], [70], [72], [73], [74], [79], [80], [81], [85], [100], [101], [102], [103], [104], [105], and [128].

## Classification of References by Year

Time Span	Number of References
Pre - 1960	Station, Table 77803, USA
1960 - 1964	6
1965 - 1969	L vd navig meen sids all'attribioni"
1970 - 1974	stants a to sensing 451 to column
1975 - 1979	No morrantes and suid5 set set on
were of the above two nation	edf 90923 (ERRI) 137 900400 go

there has once an employeen of followerton in the liberature on the theory

Undoubtedly, small errors and omissions still exist in the bibliography. Information regarding these would be greatly appreciated by the authors.

iver sotes a anthotical extension and to recrossifica officians bus

The authors are grateful to Professor Rupert Miller for access to reference [92], which contained several references of which we were unaware.


Research partially supported under ONR Contract NOO014-75-C-0439.

se that major conde a ([1], [2], [2], [2], [2], [4], [46], [46], [39], [79],

[26] [36], [40], [40], [40], [40], [40], [40], [40], [40], [40], [40],

A large number of the papers have the empagacite theory of the jackingto

- [1] Adams, J. E. (1971). Jackknifing stochastic process using the second order J\_-estimator, Ph.D. dissertation, Texas Tech University.
- [2] Adams, J. E., Gray, H. L., and Watkins, T. A. (1971). An asymptotic characterization of bias reduction by jackknifing, Ann. Math. Statist. 42, 1606-1612.
- [3] Adams, J. E. and McCune, E. D. (1979). Shannon's index of diversity and the generalized jackknife. Submitted for publication.
- [4] Aitchison, J. and Aitken, C. G. G. (1976). Multivariate binary discrimination by the kernel method, <u>Biometrika</u>, 63, 413-420.
- [5] Anderson, C. W. and Ray, W. D. (1975). Improved maximum likelihood estimators for the gamma distribution, Commun. Statist., 4, 437-448.
- [6] Anderson, P. O. (1975). Large sample and jackknife procedures for small sample orthogonal least squares inference, Commun. Statist., 4, 193-202.
- [7] Arvesen, J. N. (1969). Jackknifing U-statistics, Ann. Math. Statist., 40, 2076-2100.
- [8] Arvesen, J. N. and Schmitz, T. (1970). Robust procedures for variance component problems using the jackknife, <u>Biometrics</u>, <u>26</u>, 677-686.
- [9] Arvesen, J. N. and Salsburg, D. S. (1973). Approximate test and confidence intervals using the jackknife, <u>Perspectives in Biometrics</u>, ed. by R. M. Elashoff, Academic Press, New York.
- [10] Arvesen, J. N. and Layard, M. W. J. (1975). Asymptotically robust tests in unbalanced variance component models, Ann. Statist., 3, 1122-1134.
- [11] Bissell, A. F. (1973). Monitoring events using varying sample element sizes, Statistician, 22, 43-58.
- [12] Bissell, A. F. and Ferguson, R. A. (1975). The jackknife-toy, tool or two-edged weapon?, The Statistician, 24, 79-100.
- [13] Bissell, A. F. (1977). The jackknife, BIAS, 1, 55-64.
- [14] Braun, H. (1975). Robustness and the jackknife, Technical Report #94, Department of Statistics, Princeton University.



- [15] Brillinger, D. (1964). The asymptotic behavior of Tukey's general method of setting approximate confidence limits (the jackknife) when applied to maximum likelihood estimates, Rev. Int. Statist. Inst., 32, 202-206.
- [16] Brillinger, D. (1966). The application of the jackknife to the analysis of consumer surveys, Commentary, The Journal of the Market Res.

  Soc., 8, 74-80.
- [17] Brillinger, D. (1977). Approximate estimation of the standard errors of complex statistics based on sample surveys, New Zealand Statistician, 11, 35-41.
- [18] Brown, M. B. and Forsythe, A. B. (1974). Robust tests for the equality of variances, J. Amer. Statist. Assoc., 69, 364-367.
- [19] Burdick, D. S. (1961). Stage by stage modification of polynomial estimators by the jackknife method, Ph.D. dissertation, Princeton University.
- [20] Burnham, K. P. and Overton, W. S. (1978). Estimation of the size of a closed population when capture probabilities vary among animals, Biometrika, 65, 625-633.
- [21] Burnham, K. P. and Overton, W. S. (1979). Robust estimation of population size when capture probabilities vary among animals. Submitted for publication.
- [22] Burt, J. M., Gaver, D. P., and Perlas, M. (1970). Simple stochastic networks: Some problems and procedures, Naval Research Logistics Quarterly, 17, 439-459.
- [23] Chakrabarty, R. P., and Rao, J. N. K. (1968). The bias and stability of the jackknife variance estimator in ratio estimation, (abstract)

  J. Amer. Statist. Assoc., 63, 748.
- [24] Chatterjee, S., and Barcum, S. (1970). A nonparametric approach to credit screening, J. Amer. Statist. Assoc, 65, 150-154.
- [25] Cochran, W. G. (1968). Commentary on estimation of error rates in discriminant analysis, <u>Technometrics</u>, <u>10</u>, 204-205.
- [26] Collins, J. R. (1970). Jackknifing generalizability. Ph.D. thesis, University of Colorado.
- [27] Cook, R. D. (1977). Detection of influential observation in linear regression, Technometrics, 19, 15-18.
- [28] Cox, D. R. and Hinkley, D. V. (1974). Theoretical Statistics, Chapman and Hall, London, 261-265.

- [29] Cox, D. R. (1975). A note on data-splitting for the evaluation of significance levels, <u>Biometrika</u>, <u>62</u>, 441-444.
- [30] Dammkoehler, R. A. (1966). A computational procedure for parameter estimation applicable to certain nonlinear models of enzyme kinetics, J. Biol. Chem., 241, 1955-1957.
- [31] Davis, W. W. (1977). Robust interval estimation of the innovation variance of an ARMA model, Ann. Statist., 5, 700-708.
- [32] Deming, W. E. (1963). On the correction of mathematical bias by use of replicated designs, Metrika, 6, 37-42.
- [33] Dempster, A. (1966). Estimation in multivariate analysis, Multivariate

  Analysis, Vol. I, ed. by P. R. Krishnaish, Academic Press, New York.
- [34] Devlin, S. J., Gnanadesikan, R. and Kettenring, J. R. (1975). Robust estimation and outlier detection with correlation coefficients, Biometrika, 62, 531-545.
- [35] DiPillo, P. J. (1977). Further applications of bias to discriminant analysis, Commun. Statist., A6, 933-943.
- [36] Duncan, G. and Layard, M. W. J. (1973). A Monte-Carlo study of asymptotically robust tests for correlation coefficients, <u>Biometrika</u>, <u>60</u>, 551-558.
- [37] Duncan, G. (1978). An empirical study of jackknife-constructed confidence regions in nonlinear regression, <u>Technometrics</u>, <u>20</u>, 123-129.
- [38] Duran, B. S. (1976). A survey of nonparametric tests for scale, <u>Commun.</u>
  <u>Statist.</u>, <u>A5</u>, 1287-1312.
- [39] Durbin, J. (1959). A note on the application of Quenouille's method of bias reduction to the estimation of ratios, Biometrika, 46, 477-480.
- [40] Efron, B. (1979). Bootstrap methods: Another look at the jackknife.

  Ann. Statist., 7, 1-26.
- [41] Efron, B. (1979). Computers and the theory of statistics: Thinking the unthinkable. Technical report, Department of Statistics, Stanford University.
- [42] Egman, R. K., Meyers, C. F., and Bendal, R. (1973). New methods for test selection and reliability assessment, using stepwise multiple regression and jackknifing, Educ. Psychol. Meas., 33, 883-894.
- [43] Farewell, V. T. (1978). Jackknife estimation with structured data, Biometrika, 65, 444-447.
- [44] Ferguson, R. A. and Fryer, J. G. (1974). The effect of jackknifing maximum likelihood estimates: some single parameter illustrations. Unpublished manuscript.

- [45] Frawley, W. H. (1974). Using the jackknife in testing dose responses in proportions near zero or one-revisted, <u>Biometrics</u>, <u>30</u>, 539-545.
- [46] Fryer, J. (1970). Jackknifing maximum likelihood estimates in the multiparameter case. (preliminary report) (abstract), Ann. Math. Statist., 41, 1392.
- [47] Gaver, D. P., and Hoel, D. G. (1970). Comparison of certain small-sample Poisson probability estimates, <u>Technometrics</u>, <u>12</u>, 835-850.
- [48] Gaver, D. P. (1977). Modeling and estimating system availability. Naval Postgraduate School technical report.
- [49] Gaver, D. P. and Miller, R. G. (1978). Jackknifing the Kaplan-Meier estimate, (Technical Report) presented 1978 Joint Meetings, San Diego, California.
- [50] Gnanadesikan, R. and Kettenring, J. R. (1972). Robust estimates, residuals, and outlier detection with multiresponse data, <u>Biometrics</u>, <u>28</u>, 81-124.
- [51] Gray, H. L. and Schucany, W. R. (1972). The Generalized Jackknife Statistic, Marcel Dekker, Inc., New York.
- [52] Gray, H. L., Watkins, T. A., and Adams, J. E. (1972). On the generalized jackknife, its extensions, and its relation to e<sub>n</sub>-transformations, Ann. Math. Statist., 43, 1-30.
- [53] Gray, H. L., Watkins, T. A., and Schucany, W. R. (1973). On the jackknife statistic and its relation to UMVU estimators in the normal case (with comments), Commun. Statist., 2, 285-320.
- [54] Gray, H. L. (1975). On a unification of bias reduction and numerical approximation. Technical report, Department of Statistics, Southern Methodist University.
- [55] Gray, H. L., Coberly, W. A., and Lewis, T. O. (1975). On Edgeworth expansions with unknown cumulants, Ann. Statist., 3, 741-746.
- [56] Gray, H. L., Schucany, W. R., and Watkins, T. A. (1975). On the generalized jackknife and its relation to statistical differentials, <u>Biometrika</u>, 62, 637-642.
- [57] Gross, A. M. (1976). Confidence interval robustness with long-tailed symmetric distributions, J. Amer. Statist. Assoc., 71, 409-416.
- [58] Hampel, Frank R. (1974). The influence curve and its role in robust estimation, J. Amer. Statist. Assoc., 69, 383-393.
- [59] Hartigan, J. A. (1975). Necessary and sufficient conditions for asymptotic joint normality of a statistic and its subsample values, Ann. Statist., 3, 573-580.

- [60] Hinkley, D. V. (1977). Jackknife confidence limits using student t approximations, <u>Biometriks</u>, <u>64</u>, 21-28.
- [61] Hinkley, D. V. (1977). Jackknifing in unbalanced situations, <u>Technometrics</u>, <u>19</u>, 285-292.
- [62] Hinkley, D. V. (1978). Improving the jackknife with special reference to correlation estimation, <u>Biometrika</u>, <u>65</u>, 13-21.
- [63] Huber, P. J. (1972). Robust statistics: a review, Ann. Math. Statist., 43, 1041-1067.
- [64] Hutchison, M. C. (1971). A monte carlo comparison of some ratio estimators, Biometrika, 58, 313-321.
- [65] Izenman, A. J. (1975). Reduced-rank regression for the multivariate linear model, <u>Journal of Multivariate Analysis</u>, 5, 248-264.
- [66] Jaeckel, L. A. (1971). The infinitesimal jackknife, unpublished Bell Laboratories technical memorandum.
- [67] Johnson, N. J. (1974). The effects of population skewness on confidence intervals determined from mean-like statistics. Ph.D. dissertation, Yale University.
- [68] Johnson, N. J. (1978). Modified t tests and confidence intervals for asymmetrical populations. J. Amer. Statist. Assoc., 73, 536-544.
- [69] Jones, H. L. (1963). The jackknife method, Proc. of the IBM Scientific Computing Symposium on Statistics, 185-197.
- [70] Jones, H. L. (1974). Jackknife estimation of functions of stratum means, Biometrika, 61, 343-348.
- [71] Kendall, M. G., and Stuart, A. (1973). The Advanced Theory of Statistics, Vol. 2, 2nd edition, C. Griffin and Co. Ltd., London, 5-6.
- [72] Kish, L., and Frankel, M. R. (1974). Inference from complex samples (with discussion), J. R. Statist. Soc., B, 36, 1-37.
- [73] Koop, J. C. (1976). Bias reduction and efficiency of reconstructed ratio estimators for a finite universe. Ann. Inst. Statist. Math., 28, 461-467.
- [74] Krewski, D. (1978). Jackknifing U-statistics in finite population, Commun. Statist., A7, 1-12.
- [75] Kshirsagar, A. M. (1971). Advanced Theory of Multivariate Analysis, Marcel Dekker, Inc., New York, 220-223.
- [76] Lachenbruch, P., and Mickey, M. (1968). Estimation of error rates in discriminant analysis, <u>Technometrics</u>, 10, 1-11.

- [77] Landwehr, J. M. (1972). Approximate confidence regions from cluster analysis. Ph.D. dissertation, University of Chicago.
- [78] Layard, M. W. J. (1972). Large sample tests for the equality of two covariance matrices, Ann. Math. Statist., 43, 123-141.
- [79] Lemeshow, S., and Epp, R. (1977). Properties of the balanced half-sample and jackknife variance estimation techniques in the linear case, <u>Commun. Statist.</u>, <u>A6</u>, 1259-1274.
- [80] Lemeshow, S. and Levy, P. S. (1978). Estimating the variances of ratio estimates in complex sample surveys with two primary sampling units per stratum a comparison of balanced replication and jackknife techniques. J. Statist. Comput. Simul., 7, 1-15.
- [81] Majumdar, H. and Sen, P. K. (1978). Invariance principles for jackknifing U-statistics for finite population sampling and some applications, Commun. Statist., A7, 1007-1025.
- [82] Mallows, C. L. (1972). A note on asymptotic joint normality. Ann. Math. Statist., 43, 508-515.
- [83] Mallows, C. L. (1975). On some topics in robustness, unpublished manuscript.
- [84] Mantel, N. (1967). Assumption-free estimators using U-statistics and a relationship to the jackknife method, <u>Biometrics</u>, <u>23</u>, 567-571.
- [85] McCarthy, P. J. (1969). Pseudo-replications: Half sample, Rev. Int. Statist. Inst., 37, 239-264.
- [86] Mikhail, W. M. (1975). A comparative Monte Carlo study of the properties of econometric estimators, J. Amer. Statist. Assoc., 70, 94-104.
- [87] Miller, R. G., Jr. (1964). A trustworthy jackknife, Ann. Math. Statist. 35, 1594-1605.
- [88] Miller, R. G., Jr. (1968). Jackknifing variances, Ann. Math. Statist., 39, 567-582.
- [89] Miller, R. G., Jr. (1974). An unbalanced jackknife, Ann. Statist., 2, 880-891.
- [90] Miller, R. G., Jr. (1974). Jackknifing censored data, Stanford University technical report #4, Division of Biostatistics, Stanford, University.
- [91] Miller, R. G., Jr. (1974). The jackknife: A review, Biometrika, 61, 1-15.
- [92] Miller, R. G., Jr. (1978). The jackknife: Survey and applications,

  Proceedings of the 23rd Conference on the Design of Experiments in

  Army Research Development and Testing, 371-391.
- [93] Mosteller, F., and Tukey, J. W. (1968). Data analysis, including statistics,

  Handbook of Social Psychology, G. Lindzey and E. Aronson, Eds.,

  Addison-Wesley, Reading Massachusetts.

- [94] Mosteller, F. (1971). The jackknife, Rev. Int. Statist. Inst., 39, 363-368.
- [95] Mosteller, F. and Tukey, J. W. (1977). <u>Data Analysis and Regression</u>, Addison Wesley, New York, 133-163.
- [96] Pandey, T. N., and Hubert, L. (1973). An empirical comparison of several interval estimation procedures for coefficient alpha, <u>Psychometrika</u>, 40, 169-181.
- [97] Pennel, R. (1972). Routinely computable confidence intervals for factor loadings using the "jackknife", British Journal of Mathematical and Statistical Psychology, 25, 107-114.
- [98] Quenouille, M. (1949). Approximate tests of correlation in time series,

  J. Roy. Statist. Soc. B., 11, 68-84.
- [99] Quenouille, M. (1956). Notes on bias in estimation, Biometrika, 43, 353-360.
- [100] Rao, J. N. K. (1965). A note on the estimation of ratios by Quenouille's method, <u>Biometrika</u>, <u>52</u>, 647-649.
- [101] Rao, J. N. K., and Webster, J. (1966). On two methods of bias reduction in the estimation of ratios, Biometrika, 53, 571-577.
- [102] Rao, J. N. K. (1969). Ratio and regression estimators, New Developments in Survey Sampling, ed. by N. L. Johnson and H. Smith, Wiley-Interscience, New York, 213-234.
- [103] Rao, P. S. R. S. (1969). Comparison of four ratio-type estimates under a model, J. Amer. Statist. Assoc., 64, 574-580.
- [104] Rao, P. S. R. S., and Rao, J. N. K. (1970). Some small results for ratio estimators, (abstract), Ann. Math. Statist., 41, 1141-1142.
- [105] Rao, P. S. R. S. (1974). Jackknifing the ratio estimator, <u>Sankhya</u>, <u>C</u>, <u>36</u>, 84-97.
- [106] Reed, A. H. and Wu, G. T. (1977). Estimation of bias in classical linear regression slope when the proper model is functional linear regression,

  Commun. Statist., A6, 405-416.
- [107] Reeds, J. A. (1978). Jackknifing maximum likelihood estimates, Ann. Statist., 6, 727-739.
- [108] Rey, W. J. J. (1975). Applicability of the jackknife method, Technical report R300, M.B.L.E. Research Laboratory, Brussels, Belgium.
- [109] Rey, W. J. J. (1978). Robust Statistical Methods, Lecture notes in mathematics #690, Springer-Verlag, New York, 17-29.

- [110] Rey, W. J. J. (1979). Robust estimation in descriptive statistics.

  Technical report, MBLE Research Laboratory.
- [111] Robson, D. S., and Whitlock, J. H. (1964). Estimation of a truncation point, <u>Biometrika</u>, <u>51</u>, 33-39.
- [112] Rogers, W. T. (1976). Jackknifing disattenuated correlations, <u>Psychometrika</u>, 41, 121-134.
- [113] Salsburg, D. S. (1971). Testing dose responses or proportions near zero or one with the jackknife, <u>Biometrics</u>, <u>27</u>, 1035-1041.
- [114] Salsburg, D. S. (1975). Estimating differences in variance when comparing two methods of assay, <u>Technometrics</u>, <u>17</u>, 381-382.
- [115] Schucany, W. R. (1971). The reduction of bias in parametric estimation, Southern Methodist University Department of Statistics Technical Report No. 93.
- [116] Schucany, W. R., Gray, H. L., and Owen, D. B. (1971). On bias reduction in estimation, J. Amer. Statist. Assoc., 66, 524-533.
- [117] Schucany, W. R., and Sommers, J. P. (1977). Improvement of kernel type density estimators, <u>J. Amer. Statist. Assoc.</u>, <u>72</u>, 420-423.
- [118] Schucany, W. R., and Woodward, W. A. (1977). Adjusting the degrees of freedom for the jackknife, Commun. Statist., A6, 439-442.
- [119] Sen, P. K. (1977). Some invariance principles relating to jackknifing and their role in sequential analysis, Ann. Statist., 5, 316-329.
- [120] Sen, P. K. (1978). On jackknifing the finite end-points of a distribution, Calcutta Statistical Association Bulletin, 27, 17-25.
- [121] Sharot, T. (1976). The generalized jackknife: finite sample and subsample sizes, J. Amer. Statist. Assoc., 71, 451-454.
- [122] Sharot, T. (1976). Sharpening the jackknife, Biometrika, 63, 315-321.
- [123] Shorack, G. R. (1969). Testing and estimating ratios of scale parameters,

  J. Amer. Statist. Assoc., 64, 999-1013.
- [124] Stone, M. (1974). Cross-validatory choice and assessment of statistical predictions, J. Royal Statist. Soc. B, 36, 111-147 and corrigendum 38, 102.
- [125] Thorburn, D. (1975). Some different jackknife techniques, Technical Report University of Lund, Sweden.
- [126] Thorburn, D. (1976). Some asymptotic properties of jackknife statistics, Biometrika, 63, 305-313.

- [127] Thorburn, D. (1977). On the asymptotic normality of the jackknife, Scandinavian Journal of Statistics, 4, 113-118.
- [128] Tin, M. (1965). Comparison of some ratio estimators, J. Amer. Statist.

  Assoc., 60, 294-307.
- [129] Tukey, J. W. (1958). Bias and enfidence in not quite large samples, (abstract), Ann. Math. Statist., 29, 614.
- [130] Wainer, H., and Thissen, D. (1975). When the jackknife fails (or does it?),

  Psychometrika, 40, 113-114.
- [131] Watkins, T. A. (1971). Jackknifing stochastic processes, Ph.D. dissertation, Texas Tech University.
- [132] Watkins, T. A., and Kern, D. M. (1973). On UMVU estimators related to the multivariate normal distribution, Commun. Statist. 2, 321-326.
- [133] Watkins, T. A. (1979). On estimating a function of the mean of a multivariate normal distribution. To appear in Commun. Statist., A.
- [134] Woodward, W. A., and Gray, H. L. (1975). Minimum variance unbiased estimation in the gamma distribution, Commun. Statist., 4, 907-922.
- [135] Woodward, W. A., and Schucany, W. R. (1977). Combination of a preference pattern with the triangle taste test, Biometrics, 33, 31-39.
- [136] Woodward, W. A. (1977). Subroutines for computing minimum variance unbiased estimators of functions of the parameters in the normal and gamma distributions, Commun. Statist., B6, 63-73.
- [137] Zahl, S. (1977). Jackknifing an index of diversity, Ecology, 58, 907-913.

## SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION N	IO. 1. RECIPIENT'S CATALOG NUMBER
THE JACKKNIFE: A BIBLIOGRAPHY	S. TYPE OF REPORT & PERIOD COVERED Technical Report
e and committee in the partie large large bases and the committee bases	6. PERFORMING ORG. REPORT NUMBER
William C. Parr William R. Schucany	NODO14-75-C-0439
SOUTHERN METHODIST UNIVERSITY DALLAS, TEXAS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 042 280
OFFICE OF NAVAL RESEARCH ARLINGTON, VA. 22217	12. REPORT DATE  JULY 19  13. NUMBER OF PAGES  12
14. MONITORING AGENCY NAME & ADDRESS(II dillorent from Controlling Office	UNCLASSIFIED
	15a. DECLASSIFICATION/DOWNGRADING

This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted for any purpose of The United States Government.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identity by block number)

Jackknife, bibliography

20. APSTRACT (Continue on reverse side if necessary and identity by block number)

The bibliography presented here lists 137 articles on the jackknife method. A few comments are made concerning some major categories into which the papers fall.